

**CAMBRIDGE INTERNATIONAL EXAMINATIONS**

Pre-U Certificate

[www.XtremePapers.com](http://www.XtremePapers.com)

## **MARK SCHEME for the May/June 2014 series**

### **9792 PHYSICS**

**9792/02**

Paper 2 (Part A Written), maximum raw mark 100

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, Pre-U, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

**Section A – 75 marks**

- 1 (a)**  $0 = 5.6^2 - 2 \times 9.81 \times s$  **or**  $s = 1.60$  (m) [1]  
5.6 (m) [1] [2]
- (b)**  $2 \times 9.8 \times (5.6 - 0.8)$  **or**  $\sqrt{2 \times 9.81 \times 4.8}$  [1]  
9.7 ( $\text{m s}^{-1}$ ) [1] [2]
- (c)**  $9.7 = -5.6 + (9.81 \times t)$  **or**  $t = 15.3/9.81$  [1]  
1.56 (s) [1] [2]
- [6]**
- 2 (a)** gravitational field strength is force per unit mass **or** with symbols defined [1] [1]
- (b)** g is not a force but an acceleration/gravitational field strength [1] [1]
- (c)** resultant force causing acceleration = thrust – weight [1]  
 $(76 \times 47) + (76 \times 9.81)$  **or** 4320 (N) [1]  
45 400 (Pa) [1] [3]
- [5]**
- 3 (a) (i)** (energy stored =)  $\frac{1}{2}Fx$  [1]  
 $\frac{1}{2} \times 9000 \times 4 = 18\,000$  (J) [1]
- (ii)** total loss of GPE = mgh [1]  
 $68 \times 9.81 \times 19.39 = 12\,900$  (J) [1]
- (iii)** stored in rope as elastic potential energy [1]  
extension is 3.39 m **and** energy stored =  $\frac{1}{2}kx^2$  [1]  
 $\frac{1}{2} \times (9000/4) \times 3.39^2 = 12\,9000$  (J) [1] [7]

Page 3	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

**(b) any two from:**

length does not affect (or reach) breaking strain / stress

final length/extension  $\propto$  original length

GPE lost  $\propto$  original length

elastic energy  $\propto$  original length

final stress/strain is independent of original length

$k \propto 1/\text{original length}$

does not affect safety margin **and** two points from above

[2]

[1] [3]

**OR**

constant cross-sectional area of rope

(1)

stress = force/area **and** stress not affected by length

(1)

does not affect safety margin **and** area unchanged

(1)

[10]

**4 (a) (i) 3.2 and mm**

[1]

**(ii) 3.50 – 3.55 and ms**

[1]

**(iii) 282 – 286 and Hz**

[1]

**(iv) 2.5 – 2.8 squares or 0.5 – 0.56 (ms)**

[1]

**2.5/17.5 – 2.8/17.5 or 0.143 – 0.160 (of a cycle)**

[1]

**0.898 – 1.00 and rad**

[1] [6]

**(b) wavelength**

[1]

[1]

**(c) (i) curve crosses axis at half-way points (by eye)**

[1]

**peaks and troughs at half-way points (by eye) and above  $\pm 4$  mm**

[1]

**(ii) 5.6 – 5.7 mm**

[1]

[3]

[10]

**5 (a) (i)**

	red / °	green / °
0	0	0
1	23.6	19.0
2	53	40.5
3	–	77.2

5 values correct 4 marks

4 values correct 3 marks

3 values correct 2 marks

2 values correct 1 marks

[4]

[4]

Page 4	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

	(ii) one side correct (GRGRG) same on both sides	[1] [1]	[6]
	(b) fuzzy pattern instead of sharp	[1]	
	<b>any two from:</b> red bands wider than green bands red bands wider apart than green bands (some yellow bands where) they overlap equally spaced maxima/minima/fringes missing orders	[2]	[3]
			<b>[9]</b>
6	(a) $230 \times 12.5$ or 2875 (W) $m \times c \times \Delta\theta$ or $1.50 \times 4190 \times 83$ or 522 000 (J) 181 (s)	[1] [1] [1]	[3]
	(b) $1.5 \times 2.26 \times 10^6$ 1180 (s)	[1] [1]	[2]
	(c) <b>any two from:</b> heat losses from the kettle kettle needing to be heated up as well as the water some evaporation while water is heating up	[2]	[2]
			<b>[7]</b>
7	(a) $R = \rho l/A$ $\pi \times (0.914 \times 10^{-3})^2/4 = 6.56 \times 10^{-7}$ 13.0 ( $\Omega$ )	[1] [1] [1]	[3]
	(b) 7.2 ( $\Omega$ )	[1]	[1]
	(c) $12/(7.2 + 13)$ or 12/20.2 or 0.594 (A) or 7.13 (W) 2.5 (W)	[1] [1]	[2]
	(d) current (in the cables) is (much) smaller proportion of the power wasted is (much) smaller/of resistance (much) less	[1] [1]	
	<b>OR</b> (total resistance =) $13 + 500$ ( $\Omega$ ) or (current =) 0.195 (A) p.d. across wire is 2.5 (V) or $0.195$ (A) < 0.594 (A) or 2.5 (V) < 7.7 (V) or $13/500$ < $13/20.2$ or 0.492 (W) < 4.58 (W) MAX 2		[2] <b>[8]</b>

Page 5	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

- 8 (a) (i) not dependent on anything like pressure, temperature, chemical activity, etc. [1]
- (ii) cannot predict when a decay will occur [1] [2]
- (b) (i)  ${}_{92}^{235}\text{U} + {}_0^1\text{n} \rightarrow {}_{92}^{236}\text{U} \rightarrow {}_{54}^{143}\text{Xe} + {}_{38}^{90}\text{Sr} + 3 {}_0^1\text{n}$
- intermediate nucleus inserted [1]  
 uranium as intermediate nucleus [1]  
 Xe nucleus correct [1]
- (ii) more neutrons are produced than are used (to start a reaction)  
 one neutron can continue chain **or** used in subsequent reaction  
**or** all but one absorbed (on average) [1]
- (iii) neutron absorbing material **or** control rods **or** boron [1]  
 vary the amount of absorber in the vicinity [1] [7]
- [9]
- 9 (a) (i)  $hc/\lambda$  **or**  $6.63 \times 10^{-34} \times 3.00 \times 10^8 / 470 \times 10^{-9}$  [1]  
 $4.23 \times 10^{-19}$  (J) [1]
- (ii)  $2.17 \times 10^{-19}$  (J) [1] [3]
- (b) (i)  $4.0 \times 15^6$  [1]  
 $4.6 \times 10^7$  [1]
- (ii)  $7.3 \times 10^{-12}$  (A) [1]
- (iii) **any two from:**  
 they are accelerated  
 by an increasing p.d. between (electrodes)  
 more of them [2] [5]
- (c) **any three from:**  
 the incoming light (may be) of many different colours  
 any photon with sufficient energy may release an electron  
 output electrons do not depend on incoming colour  
 wavelength information not transmitted  
 in the tube there is current not a wave  
 phosphor plate only produces white light  
 light emitted determined by energy bands/levels in phosphor [3] [3]
- [11]

Page 6	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

**Section B – 25 marks**

- 10 (a) (i)**  $7.98(t - 170) = 4.75t$  **or**  $7.98t = 4.75(t + 170)$  **or** 420 (s) **or** 250 (s)  
7.0 min (accept 7 min) [1]  
[1]
- (ii)**  $1.995 \times 10^3$  (km) [1] [3]
- (b) (i)** vibration/oscillation parallel to energy transmission/wave **and**  
vibration/oscillation perpendicular to energy transmission/wave  
energy transferred (in at least one case) [1]  
[1]
- (ii)** (region centred on point) opposite to epicentre/earthquake [1]  
(to reach this region) S-waves have to pass through the (outer) core/liquid  
**or** S-waves cannot travel through liquids  
**or** S-waves absorbed by (outer) core/liquid [1]  
**outer** core is liquid [1] [5]
- (c) (i)** speed increases [1]
- and any two from:**  
temperature increases; density increases; pressure increases;  
elasticity changes; molecular structure changes [2]
- (ii)** path curves **or** refracted [1]  
away from centre of earth **or** towards surface (**allow** concave) [1] [5]
- (d) (i)** correct arrow between  $45^\circ$  and  $30^\circ$  to the vertical [1]
- (ii)**  $\sin 90^\circ / \sin \theta = 13.7 / 8.25$  **or** = 1.66 [1]  
( $\theta =$  ) $37.0^\circ$ ) **or**  $143^\circ$  [1]
- (iii)** waves that just enter the outer core and those that just scrape across its  
surface (are separated by the refraction in **(ii)**) [1]  
leads to a gap between these two positions **or** shown on diagram **and** no  
S-waves on diagram (on surface) [1] [5]

Page 7	Mark Scheme	Syllabus	Paper
	Pre-U – May/June 2014	9792	02

<b>(e)</b>	<b>social:</b>		
	locate earthquakes		[1]
	locate landslides		[1]
	warn about tsunamis / volcanoes		[1]
	rush assistance quickly		[1]
	identify archaeological sites		[1]
	save lives / evacuate area		[1]
	academic curiosity		[1]
	identify erosion		
	<b>technological:</b>		
	design buildings that resist earthquakes		[1]
	locate gas / oil reserves		[1]
	locate mineral reserves		[1]
	locate water		[1]
	locate sunken treasure / aeroplane Black boxes / oil tanks ( <b>not</b> seismic vibrations used)		[1]
	predict / understand earthquakes / tsunamis / volcanoes		[1]
	<b>economic:</b>		
	cheaper resources		[1]
	no need to replace destroyed buildings		[1]
	discover contamination		[1]
	<b>maximum for question = 7</b>		[7]
			<b>[25]</b>